



APPLICATIONS WITHIN FOOD AREAS: Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry plants, hotels, motels, hospitals and schools. Limit to crack and crevice treatment only: Using a bulbous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, silverfish, spiders, boxelder bugs and crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

NON-FOOD AREAS: Homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, warehouses, truck trailers and railroad cars. To control insects such as ants, cockroaches, silverfish, firebrats, spiders, boxelder bugs, ticks, lice, and fleas in animal quarters, distribute Roach Away at the rate of 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stairs, refrigerators and appliances. Treat on, around and behind moldings, shelving, baseboards, pipe openings, cracks, crevices, and other areas where insects hide. For severe infestations apply Roach Away behind cabinets and walls, in crawl spaces and attics at a rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

STORED PRODUCT PESTS: To aid in the control of cadelles, cheese mites, cigarette beetles, confused flour beetles, dark meal worms, drugstore beetles, grain mites, granary weevils, red flour beetles, rice weevils, sawtoothed grain beetles and yellow meal worms in mills, elevators, and granaries. Clean up waste materials, dust, dirt, and any other debris. Thoroughly treat floors, walls, and other surfaces in bins, storage and handling areas. Apply into cracks and crevices and other difficult to reach areas where insects may hide.

BEES AND WASPS: It is generally advisable to treat wasps and bee

ACTIVE INGREDIENTS	% BY WEIGHT
PYRETHRINS CAS# 8003-37-7	1.0%
*PIPERONYL BUTOXIDE, TECHNICAL CAS# 51-03-6	10.0%
AMORPHOUS SILICA GEL CAS# 112926-00-8	40.0%
INERT INGREDIENTS	49.0%
*Equivalent to 8.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% related compounds. Contains petroleum distillates.	

A DESICCANT DUST THAT PROVIDES QUICK CONTROL AND WILL KILL FOR UP TO 6 MONTHS WHEN LEFT UNDISTURBED. NON-STAINING AND RELATIVELY ODORLESS. FOR USE IN INSTITUTIONS, FOOD PLANTS, GRANARIES & ON CATS AND DOGS

Product # 7061

For Professional Use Only

1	HEALTH
1	FLAMMABILITY
0	REACTIVITY
E	PROTECTION

Additional Information

nests in the evening when insects are less active and have returned to the nest. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nets in wall voids can be located by listening with your ear against the wall. Drill holes in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nests to prevent emergence of newly hatched insects. If removal is not feasible, retreat the nest if necessary. Do not use this product to treat overhead nests.

SEWER TREATMENTS: American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 6 ounces of Roach Away per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment air to be dispersed quickly and thoroughly through the system.

BEDBUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted,

especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DRYWOOD TERMITES: To protect against entrance, using an electric or hand operated rotary duster, distribute Roach Away through an entry, e.g. crawl hole into attic and crawl space of building, at a rate of 1 pound per 1000 square feet of floor area. All vents and blowers on the windward side should be closed. All wood surface should be covered. In case of localized infestations probe to locate galleries and drill holes to inject Roach Away into galleries. If a reasonably heavy infestation has already developed, fumigation should be employed.

FLEAS: DOGS AND CATS: Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at the rate of one ounce per 50 square feet. Heavily infested lawns, basements and crawl spaces should be dusted at the rate of 16 ounces per 1000 square feet. Repeat as necessary.

SOW BUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES, AND SCORPIONS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Corporate Office
Burbank, California
To Order Call (800) 366-0961



NATIONWIDE DISTRIBUTION
• Burbank • Atlanta
• Philadelphia • Houston